

ITMEDIASign630

Professional Digital Signage Player









Key Features

- Triple HDMI 4K 3840 x 2160 Pixel
- INTEL® i3
- INTEL® UHD Graphics
- EDID Emulation
- Military Grade Quality
- 64 GB nVme via M.2
- Fanless Model
- Other models available

Display Information

Model ITMediaSign600

Video content Triple 4K 3840x2160 Pixel

Cooling Fanless

Screen output Vertical or horizontal

Digital Signage Advanced signage model

Other Low Power Consumption

HDMI EDID Emulation

INTERFACE

Input / Output HDMI 2.0 x 3 (HDMI1 x CEC BIOS

Support)

Front USB 3.2 x 3 Gen 2 (10 Gbps)

COM RJ50 x 2 (RS232, 422, 485) Audio (Mic, Line Out, Headphone) USB 3.2 Gen 1 x 2 (5 Gbps)

Side USB 3.2 Gen 1 x 2 (5 Gbp Kensington Lock x 1

> EDID Reset x 1 USB 3.2 Gen 2 x 2,

USB 2.0 x 2, TPM 2.0 Optional

Networks Intel® 2.5 Gb x 1, 1Gb x 1 Ethernet WLAN / WiFi Intel® Wi-Fi 6E or Wifi 6 & Bluetooth 5

(External antennas)

POWER

Back

Power supply 19Vdc, 3.42A, or 19,5Vdc 3.33A

Power consumption (Typ.) ≤ 65W

ENVIRONMENT

Operation temperature $0^{\circ}\text{C} \sim 50^{\circ}\text{C}$

Operation humidity 0% ~ 85% (Non condensing)

SPECIFICATIONS

Physical

Graphics INTEL® UHD Graphics

Processor INTEL® i3

Memory 64 GB NVME M.2 harddisk RAM DDR4-3200 MHz 1 x 8GB

Color / Housing Black. Metall

Body Dimension 199,7 x 119,7 x 33.8H mm

External heatsink

Weight 1,04kg

Classification Fanless & Military Grade

Certifications BSMI/CB/CE/FCC/UL/CCC/ Engery-

Star/C-Tick/WiFi/RF/VCCI

Hyundai ITMC is a registered trademark of ITMediaConsult AG. All other trademarks are the property of their respective manufacturers. We reserve the right to make changes and errors. Please update your existing product information before placing your order. This product information does not constitute a performance guarantee.

Master imaging, setup & customizing, individual lasering with company names and inventory numbering on request, customer-specific hardware adaptation possible for bulk purchases. All systems have the necessary certifications required in the EU.

Rev 1 – 2024/02/10







Telefon: 06503/98195-0 Email: vertrieb@itmediaconsult.de











DIMENSIONS

Rear Side

Dimension (mm):





Hyundai ITMC is a registered trademark of ITMediaConsult AG. All other trademarks are the property of their respective manufacturers. We reserve the right to make changes and errors. Please update your existing product information before placing your order. This product information does not constitute a performance guarantee.

Master imaging, setup & customizing, individual lasering with company names and inventory numbering on request, customer-specific hardware adaptation possible for

Specifications may be changed without prior notice. Please update your specification before purchasing the product.

Rev 1 - 2024/02/10













CONNECTIONS

Front & Rear Side



Hyundai ITMC is a registered trademark of ITMediaConsult AG. All other trademarks are the property of their respective manufacturers. We reserve the right to make changes and errors. Please update your existing product information before placing your order. This product information does not constitute a performance guarantee.

Master imaging, setup & customizing, individual lasering with company names and inventory numbering on request, customer-specific hardware adaptation possible for bulk purchases. All systems have the necessary certifications required in the EU.

Specifications may be changed without prior notice. Please update your specification before purchasing the product.

Rev 1 - 2024/02/10















ITMEDIASign630

Professional Digital Signage Player

CONNECTIONS

Options



- Power Cord (80cm)
- AC Adapter
- Quick Start Guide & Warranty Card
- VESA Mount Kit (Optional)
- Wall Mount (Optional)
- RJ50 to COM cable (Optional)
- Keyboard & Mouse (Optional) Wired / Wireless

Feature table:

Powe	er .
PD input	N
BIOS	3
AC Power loss	Y
HDM I -CEC	Υ
CrashFree	Y
EZ Flash	Y
BIOS Customization	Y
PXE/WOL	Y
USB Single Port Control	Y

Security	
fTPM 2.0	Y
dTPM 2.0	optional
Kensington lock	Y
Pad-lock	N
Chassis Intrusion	N
Reliab	lity
24/7 Durability Test	Υ
Military-grade Durability	Y
Anti-Surge	Y
Fanless	Y

Remote	
ASUS Control Center	optional
Watchdog timer	optional
ASUS Cooperate Stable Model	optional
MyLogo	N
MyASUS	CSM
Smart Fan Control	N
Al Noise Cancelation	Y
Wi-Fi Smart Connect	Y

Hyundai ITMC is a registered trademark of ITMediaConsult AG. All other trademarks are the property of their respective manufacturers. We reserve the right to make changes and errors. Please update your existing product information before placing your order. This product information does not constitute a performance guarantee.

Master imaging, setup & customizing, individual lasering with company names and inventory numbering on request, customer-specific hardware adaptation possible for bulk purchases. All systems have the necessary certifications required in the EU

Specifications may be changed without prior notice. Please update your specification before purchasing the product.

Rev 1 - 2024/02/10







Telefon: 06503/98195-0 vertrieb@itmediaconsult.de





